



Proudly made in the U.S.A.



# **2012 Suspension Springs**



**[RacingSprings.com](http://RacingSprings.com)**

**866-799-9417**

MANUFACTURERS OF SUSPENSION, VALVE SPRING AND OTHER QUALITY PRODUCTS

# About PAC Racing Springs

**We are a manufacturer of Suspension Springs, Valve Springs, Spring Retainer Products, Sway Bars, and many other metal components.**

PAC Racing Springs is a stand alone division of Peterson Spring which has been in business for over 100 years. **Peterson Spring is the largest family owned and privately held spring company in the United States.** While PAC Racing Springs specializes in valve springs, we have developed a substantial suspension spring product line, this product utilizes our technology from valve springs. PAC Racing Springs has world class engineering, materials, testing, manufacturing, and distribution systems that will react to your needs.

## Why are PAC Racing Springs Better?

We demand the highest technology and best performance from our products-we work very diligently ensuring our designs, materials, and processing withstand all performance requirements. **Years of experience in high stressed valve springs and race engines, provides understanding on what it takes to manufacture a lighter, better performing suspension spring.**

We validate these claims by testing the competition in our Dynamics Laboratory, setting baseline standards to exceed current sag (load loss), spring weight, and fatigue life. Cost is always a factor and with being a division of Peterson Spring, it allows for our metallurgists to demand the highest strength alloys, while leveraging our suppliers to meet market price demands.



## PAC Racing Springs has many material options

### Materials:

- **Super High Tensile Chrome Silicon + Alloy**
- **Aerospace High Tensile Steels**
- **Titanium**
- **Wire sizes from 0.008 up to 1.250 Diameter!**

## Contents

	Page
▣ Powder Coat Color Options	3
▣ Tender - Helper Flat Wire Springs	4
▣ Coil Over Shock Springs	5-10
▣ Circle Track Springs	11
▣ Street Lowering Applications	12-14
▣ Custom Designed For Your Specific Needs	15

## Powder Coat and Identification Options

### Standard Color Options



Orange



Silver



Black

### Optional Colors

Additional charge of \$10.00 per spring



Blue



Red



Near Chrome

### Custom Colors and Pantones Available to Match Any Application

Additional charge of \$25.00 per spring

Setup charge of \$35.00

### Custom Inkjet Labeling

Add any label to your coil spring (part numbers, team names, batch and date codes)

Additional charge \$7.00 per spring

Setup charge of \$15.00



### Spring Protection Covers

Use these covers to add a layer of protection to your powder coating. These covers will prevent rocks or debris from hitting the springs and damaging the coating which could result in spring failure.

Velcro enclosure allows for one size to fit all spring diameters. American made materials. Silk screened logo.

- 10 inch cover with logo and no supports  
Fits springs from 2.50 to 5.00 inches in diameter
- 13 inch cover with logo and no supports  
Fits springs from 2.50 to 5.00 inches in diameter
- 10 inch cover with logo and supports to prevent buckling and ride up  
Fits springs from 2.50 to 5.00 inches in diameter
- 13 inch cover with logo and supports to prevent buckling and ride up  
Fits springs from 2.50 to 5.00 inches in diameter

## FLAT WIRE SPRINGS (PAC-FW SERIES)


These have been known as "Tender Springs" or "Helper Springs" and are traditionally used in conjunction with dual rate coil over shock springs. These are designed to be used when your spring stack does not have enough pre-load for the full extension of the shock. These will allow for full extension of the shock without losing your coil spring buckets or retainers.

PAC Racing Springs designed these springs using high tensile keystone shape wire, allowing for an even stress distribution on the wire. These are designed to be run at bind height without losing free-length, and are designed to withstand many cycles of compression and extension.

If you would like to know more about flat or shaped wire springs or have an inquiry about a custom wire shape for your application, please let us know.

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
PAC-FW-3x2x25	3.000	76	2.03	52	25	0.4								
PAC-FW-3x2x50	3.000	76	2.03	52	50	0.9								
PAC-FW-3x2x75	3.000	76	2.03	52	75	1.3								
PAC-FW-5x2x25	5.000	127	2.03	52	25	0.4								
PAC-FW-5x2x50	5.000	127	2.03	52	50	0.9								
PAC-FW-5x2x75	5.000	127	2.03	52	75	1.3								
PAC-FW-3x2.5x25	3.000	76	2.53	64	25	0.4								
PAC-FW-3x2.5x50	3.000	76	2.53	64	50	0.9								
PAC-FW-3x2.5x75	3.000	76	2.53	64	75	1.3								
PAC-FW-5x2.5x25	5.000	127	2.53	64	25	0.4	110	50	0.600	15	4.400	112	0.25	0.11
PAC-FW-5x2.5x50	5.000	127	2.53	64	50	0.9								
PAC-FW-5x2.5x75	5.000	127	2.53	64	75	1.3								
PAC-FW-3x3x25	3.000	76	3.03	77	25	0.4								
PAC-FW-3x3x50	3.000	76	3.03	77	50	0.9								
PAC-FW-3x3x75	3.000	76	3.03	77	75	1.3								
PAC-FW-5x3x25	5.000	127	3.03	77	25	0.4	110	50	0.600	15	4.400	112	0.40	0.18
PAC-FW-5x3x50	5.000	127	3.03	77	50	0.9								
PAC-FW-5x3x75	5.000	127	3.03	77	75	1.3								

Call for more Info  
(866) 799-9417



## 2.50 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
<b>6" TALL</b>														
PAC-6x2.5x50	6.000	152	2.50	64	50	0.9	247	112	1.062	27	4.938	125	0.30	0.36
PAC-6x2.5x100	6.000	152	2.50	64	100	1.8	470	213	1.300	33	4.7	119	0.49	0.58
PAC-6x2.5x150	6.000	152	2.50	64	150	2.7	667	303	1.553	39	4.447	113	0.87	0.87
PAC-6x2.5x200	6.000	152	2.50	64	200	3.6	851	386	1.747	44	4.253	108	0.94	1.10
PAC-6x2.5x250	6.000	152	2.50	64	250	4.5	1047	475	1.813	46	4.187	106	1.06	1.23
PAC-6x2.5x300	6.000	152	2.50	64	300	5.4	1224	555	1.920	49	4.08	104	1.21	1.39
PAC-6x2.5x350	6.000	152	2.50	64	350	6.2	1380	626	2.058	52	3.942	100	1.40	1.59
PAC-6x2.5x400	6.000	152	2.50	64	400	7.1	1511	685	2.223	56	3.777	96	1.62	1.83
PAC-6x2.5x450	6.000	152	2.50	64	450	8.0	1707	774	2.207	56	3.793	96	1.66	1.87
PAC-6x2.5x500	6.000	152	2.50	64	500	8.9	1896	860	2.209	56	3.791	96	1.71	1.93
<b>7" TALL</b>														
PAC-7x2.5x100	7.000	178	2.50	64	100	1.8	534	242	1.664	42	5.336	136	0.87	0.39
PAC-7x2.5x150	7.000	178	2.50	64	150	2.7	788	357	1.748	44	5.252	133	1.03	0.46
PAC-7x2.5x175	7.000	178	2.50	64	175	3.1	921	418	1.737	44	5.263	134	1.06	0.48
PAC-7x2.5x200	7.000	178	2.50	64	200	3.6	1010	458	1.950	50	5.05	128	1.28	0.58
PAC-7x2.5x225	7.000	178	2.50	64	225	4.0	1131	513	1.973	50	5.027	128	1.34	0.61
PAC-7x2.5x250	7.000	178	2.50	64	250	4.5	1247	566	2.011	51	4.989	127	1.42	0.64
PAC-7x2.5x275	7.000	178	2.50	64	275	4.9	1299	589	2.278	58	4.722	120	1.72	0.78
PAC-7x2.5x300	7.000	178	2.50	64	300	5.4	1464	664	2.120	54	4.88	124	1.60	0.72
PAC-7x2.5x325	7.000	178	2.50	64	325	5.8	1564	709	2.187	56	4.813	122	1.70	0.77
PAC-7x2.5x350	7.000	178	2.50	64	350	6.2	1658	752	2.263	57	4.737	120	1.81	0.82
PAC-7x2.5x400	7.000	178	2.50	64	400	7.1	1826	828	2.435	62	4.565	116	2.08	0.94
PAC-7x2.5x450	7.000	178	2.50	64	450	8.0	2065	937	2.411	61	4.589	117	2.11	0.96
PAC-7x2.5x500	7.000	178	2.50	64	500	8.9	2189	992	2.623	67	4.377	111	2.43	1.10
PAC-7x2.5x550	7.000	178	2.50	64	550	9.8	2403	1090	2.631	67	4.369	111	2.51	1.14
PAC-7x2.5x600	7.000	178	2.50	64	600	10.7	2608	1183	2.653	67	4.347	110	2.59	1.18
PAC-7x2.5x650	7.000	178	2.50	64	650	11.6	2661	1207	2.906	74	4.094	104	3.00	1.36
PAC-7x2.5x700	7.000	178	2.50	64	700	12.5	2837	1287	2.947	75	4.053	103	3.11	1.41
PAC-7x2.5x750	7.000	178	2.50	64	750	13.4	3002	1362	2.997	76	4.003	102	3.24	1.47
<b>8" TALL</b>														
PAC-8x2.5x60	8.000	203	2.50	64	60	1.1	395	179	1.424	36	6.576	167	0.612	0.28
PAC-8x2.5x100	8.000	203	2.50	64	100	1.8	585	265	2.155	55	5.845	148	1.238	0.56
PAC-8x2.5x125	8.000	203	2.50	64	125	2.2	776	352	1.794	46	6.206	158	1.016	0.46
PAC-8x2.5x140	8.000	203	2.50	64	140	2.5	861	391	1.848	47	6.152	156	1.089	0.49
PAC-8x2.5x180	8.000	203	2.50	64	180	3.2	1057	479	2.127	54	5.873	149	1.407	0.64
PAC-8x2.5x200	8.000	203	2.50	64	200	3.6	1116	506	2.422	62	5.578	142	1.725	0.78
PAC-8x2.5x220	8.000	203	2.50	64	220	3.9	1214	550	2.483	63	5.517	140	1.827	0.83
PAC-8x2.5x300	8.000	203	2.50	64	300	5.4	1627	738	2.576	65	5.424	138	2.079	0.94
PAC-8x2.5x350	8.000	203	2.50	64	350	6.2	1846	837	2.727	69	5.273	134	2.336	1.06
PAC-8x2.5x400	8.000	203	2.50	64	400	7.1	2035	923	2.912	74	5.088	129	2.641	1.20
PAC-8x2.5x450	8.000	203	2.50	64	450	8.0	2193	994	3.127	79	4.873	124	2.995	1.36
PAC-8x2.5x500	8.000	203	2.50	64	500	8.9	2449	1110	3.103	79	4.897	124	3.048	1.38
PAC-8x2.5x550	8.000	203	2.50	64	550	9.8	2695	1222	3.100	79	4.900	124	3.123	1.42
PAC-8x2.5x600	8.000	203	2.50	64	600	10.7	2778	1260	3.370	86	4.630	118	3.571	1.62
PAC-8x2.5x650	8.000	203	2.50	64	650	11.6	2994	1358	3.394	86	4.606	117	3.684	1.67
PAC-8x2.5x1200	8.000	203	2.50	64	1200	21.4	4516	2048	4.237	108	3.763	96	5.850	2.65

## 2.50 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
<b>9" TALL</b>														
PAC-9x2.5x60	9.000	229	2.50	64	60	1.1	441	200	1.650	42	7.35	187	0.76	0.34
PAC-9x2.5x100	9.000	229	2.50	64	100	1.8	685	310	2.155	55	6.845	174	1.24	0.56
PAC-9x2.5x140	9.000	229	2.50	64	140	2.5	932	423	2.342	59	6.658	169	1.51	0.68
PAC-9x2.5x180	9.000	229	2.50	64	180	3.2	1143	518	2.650	67	6.35	161	1.90	0.86
PAC-9x2.5x220	9.000	229	2.50	64	220	3.9	1374	623	2.754	70	6.246	159	2.10	0.95
PAC-9x2.5x300	9.000	229	2.50	64	300	5.4	1849	839	2.836	72	6.164	157	2.36	1.07
PAC-9x2.5x350	9.000	229	2.50	64	350	6.2	2104	954	2.989	76	6.011	153	2.64	1.20
PAC-9x2.5x400	9.000	229	2.50	64	400	7.1	2328	1056	3.180	81	5.82	148	2.97	1.35
PAC-9x2.5x450	9.000	229	2.50	64	450	8.0	2519	1142	3.403	86	5.597	142	3.35	1.52
PAC-9x2.5x550	9.000	229	2.50	64	550	9.8	2949	1337	3.638	92	5.362	136	3.86	1.75
PAC-9x2.5x650	9.000	229	2.50	64	650	11.6	3283	1489	3.949	100	5.051	128	4.50	2.04
<b>10" TALL</b>														
PAC-10x2.5x100	10.000	254	2.50	64	100	1.8	755	343	2.447	62	7.553	192	1.47	0.67
PAC-10x2.5x125	10.000	254	2.50	64	125	2.2	928	421	2.580	66	7.42	188	1.67	0.76
PAC-10x2.5x150	10.000	254	2.50	64	150	2.7	1083	491	2.778	71	7.222	183	1.93	0.87
PAC-10x2.5x175	10.000	254	2.50	64	175	3.1	1220	553	3.026	77	6.974	177	2.25	1.02
PAC-10x2.5x200	10.000	254	2.50	64	200	3.6	1402	636	2.992	76	7.008	178	2.29	1.04
PAC-10x2.5x225	10.000	254	2.50	64	225	4.0	1577	715	2.992	76	7.008	178	2.36	1.07
PAC-10x2.5x250	10.000	254	2.50	64	250	4.5	1746	792	3.016	77	6.984	177	2.45	1.11
PAC-10x2.5x275	10.000	254	2.50	64	275	4.9	1825	827	3.365	85	6.635	169	2.90	1.32
PAC-10x2.5x300	10.000	254	2.50	64	300	5.4	1973	895	3.422	87	6.578	167	3.04	1.38
PAC-10x2.5x325	10.000	254	2.50	64	325	5.8	2008	911	3.822	97	6.178	157	3.59	1.63
PAC-10x2.5x350	10.000	254	2.50	64	350	6.2	2248	1019	3.577	91	6.423	163	3.35	1.52
PAC-10x2.5x375	10.000	254	2.50	64	375	6.7	2373	1076	3.672	93	6.328	161	3.53	1.60
PAC-10x2.5x400	10.000	254	2.50	64	400	7.1	2489	1129	3.778	96	6.222	158	3.73	1.69
PAC-10x2.5x425	10.000	254	2.50	64	425	7.6	2596	1177	3.892	99	6.108	155	3.94	1.79
PAC-10x2.5x450	10.000	254	2.50	64	450	8.0	2693	1221	4.016	102	5.984	152	4.17	1.89
PAC-10x2.5x500	10.000	254	2.50	64	500	8.9	3020	1369	3.961	101	6.039	153	4.21	1.91
PAC-10x2.5x550	10.000	254	2.50	64	550	9.8	3161	1433	4.253	108	5.747	146	4.75	2.15
PAC-10x2.5x600	10.000	254	2.50	64	600	10.7	3454	1566	4.243	108	5.757	146	4.84	2.20
PAC-10x2.5x650	10.000	254	2.50	64	650	11.6	3735	1694	4.254	108	5.746	146	4.97	2.25
PAC-10x2.5x700	10.000	254	2.50	64	700	12.5	3780	1714	4.600	117	5.4	137	5.62	2.55
PAC-10x2.5x750	10.000	254	2.50	64	750	13.4	4022	1824	4.638	118	5.362	136	5.79	2.62
PAC-10x2.5x800	10.000	254	2.50	64	800	14.3	4250	1927	4.688	119	5.312	135	5.97	2.71
<b>12" TALL</b>														
PAC-12x2.5x80	12.000	305	2.50	64	80	1.4	722	328	2.970	75	9.03	229	1.80	0.82
PAC-12x2.5x90	12.000	305	2.50	64	90	1.6	806	366	3.041	77	8.959	228	1.92	0.87
PAC-12x2.5x100	12.000	305	2.50	64	100	1.8	886	402	3.136	80	8.864	225	2.05	0.93
PAC-12x2.5x110	12.000	305	2.50	64	110	2.0	963	436	3.250	83	8.75	222	2.20	1.00
PAC-12x2.5x120	12.000	305	2.50	64	120	2.1	1079	489	3.009	76	8.991	228	2.03	0.92
PAC-12x2.5x125	12.000	305	2.50	64	125	2.2	1137	516	2.903	74	9.097	231	1.95	0.89
PAC-12x2.5x130	12.000	305	2.50	64	130	2.3	1151	522	3.149	80	8.851	225	2.20	1.00
PAC-12x2.5x140	12.000	305	2.50	64	140	2.5	1218	552	3.302	84	8.698	221	2.39	1.08
PAC-12x2.5x150	12.000	305	2.50	64	150	2.7	1280	580	3.468	88	8.532	217	2.59	1.17
PAC-12x2.5x165	12.000	305	2.50	64	165	2.9	1395	632	3.548	90	8.452	215	2.73	1.24
PAC-12x2.5x175	12.000	305	2.50	64	175	3.1	1511	685	3.366	85	8.634	219	2.59	1.17
PAC-12x2.5x185	12.000	305	2.50	64	185	3.3	1562	708	3.557	90	8.443	214	2.82	1.28
PAC-12x2.5x200	12.000	305	2.50	64	200	3.6	1665	755	3.674	93	8.326	211	3.00	1.36
PAC-12x2.5x225	12.000	305	2.50	64	225	4.0	1794	814	4.027	102	7.973	203	3.49	1.58
PAC-12x2.5x250	12.000	305	2.50	64	250	4.5	1993	904	4.028	102	7.972	202	3.59	1.63
PAC-12x2.5x275	12.000	305	2.50	64	275	4.9	2184	991	4.057	103	7.943	202	3.71	1.68
PAC-12x2.5x300	12.000	305	2.50	64	300	5.4	2253	1022	4.490	114	7.51	191	4.34	1.97
PAC-12x2.5x325	12.000	305	2.50	64	325	5.8	2543	1153	4.176	106	7.824	199	4.03	1.83
PAC-12x2.5x350	12.000	305	2.50	64	350	6.2	2576	1168	4.639	118	7.361	187	4.72	2.14
PAC-12x2.5x375	12.000	305	2.50	64	375	6.7	2724	1235	4.737	120	7.263	184	4.94	2.24
PAC-12x2.5x400	12.000	305	2.50	64	400	7.1	3013	1366	4.467	113	7.533	191	4.65	2.11

## 2.50 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
<b>12" TALL (Cont'd.)</b>														
PAC-12x2.5x425	12.000	305	2.50	64	425	7.6	3151	1429	4.587	117	7.413	188	4.89	2.22
PAC-12x2.5x325	12.000	305	2.50	64	325	5.8	2419	1097	4.556	116	7.444	189	4.52	2.05
PAC-12x2.5x350	12.000	305	2.50	64	350	6.2	2576	1168	4.639	118	7.361	187	4.72	2.14
PAC-12x2.5x375	12.000	305	2.50	64	375	6.7	2724	1235	4.737	120	7.263	184	4.94	2.24
PAC-12x2.5x400	12.000	305	2.50	64	400	7.1	3013	1366	4.467	113	7.533	191	4.65	2.11
PAC-12x2.5x425	12.000	305	2.50	64	425	7.6	2987	1355	4.971	126	7.029	179	5.43	2.46
PAC-12x2.5x450	12.000	305	2.50	64	450	8.0	3103	1407	5.104	130	6.896	175	5.71	2.59
PAC-12x2.5x475	12.000	305	2.50	64	475	8.5	3207	1454	5.248	133	6.752	172	6.01	2.73
PAC-12x2.5x500	12.000	305	2.50	64	500	8.9	3497	1586	5.007	127	6.993	178	5.73	2.60
PAC-12x2.5x525	12.000	305	2.50	64	525	9.4	3588	1627	5.165	131	6.835	174	6.05	2.74
PAC-12x2.5x550	12.000	305	2.50	64	550	9.8	3668	1663	5.331	135	6.669	169	6.38	2.89
PAC-12x2.5x575	12.000	305	2.50	64	575	10.3	3734	1693	5.506	140	6.494	165	6.74	3.05
PAC-12x2.5x600	12.000	305	2.50	64	600	10.7	4024	1825	5.294	134	6.706	170	6.47	2.94
PAC-12x2.5x625	12.000	305	2.50	64	625	11.2	4076	1849	5.478	139	6.522	166	6.85	3.10
PAC-12x2.5x650	12.000	305	2.50	64	650	11.6	4365	1980	5.284	134	6.716	171	6.60	2.99
PAC-12x2.5x675	12.000	305	2.50	64	675	12.1	4404	1997	5.476	139	6.524	166	6.99	3.17
PAC-12x2.5x700	12.000	305	2.50	64	700	12.5	4428	2008	5.674	144	6.326	161	7.39	3.35
PAC-12x2.5x750	12.000	305	2.50	64	750	13.4	4726	2143	5.699	145	6.301	160	7.58	3.44
PAC-12x2.5x800	12.000	305	2.50	64	800	14.3	4697	2130	6.129	156	5.871	149	8.49	3.85
PAC-12x2.5x900	12.000	305	2.50	64	900	16.1	5177	2348	6.248	159	5.752	146	8.99	4.08
PAC-12x2.5x1000	12.000	305	2.50	64	1000	17.9	5184	2351	6.816	173	5.184	132	10.38	4.71
<b>14" TALL</b>														
PAC-14x2.5x80	14.000	356	2.50	64	80	1.4	850	385	3.377	86	10.623	270	2.14	0.97
PAC-14x2.5x90	14.000	356	2.50	64	90	1.6	910	413	3.892	99	10.108	257	2.65	1.20
PAC-14x2.5x100	14.000	356	2.50	64	100	1.8	1046	474	3.539	90	10.461	266	2.40	1.09
PAC-14x2.5x110	14.000	356	2.50	64	110	2.0	1089	494	4.103	104	9.897	251	2.99	1.35
PAC-14x2.5x120	14.000	356	2.50	64	120	2.1	1225	556	3.792	96	10.208	259	2.75	1.25
PAC-14x2.5x125	14.000	356	2.50	64	125	2.2	1239	562	4.088	104	9.912	252	3.07	1.39
PAC-14x2.5x130	14.000	356	2.50	64	130	2.3	1307	593	3.945	100	10.055	255	2.96	1.34
PAC-14x2.5x140	14.000	356	2.50	64	140	2.5	1384	628	4.114	104	9.886	251	3.18	1.44
PAC-14x2.5x150	14.000	356	2.50	64	150	2.7	1520	689	3.865	98	10.135	257	2.99	1.35
PAC-14x2.5x165	14.000	356	2.50	64	165	2.9	1588	720	4.373	111	9.627	245	3.59	1.63
PAC-14x2.5x175	14.000	356	2.50	64	175	3.1	1725	782	4.145	105	9.855	250	3.40	1.54
PAC-14x2.5x185	14.000	356	2.50	64	185	3.3	1783	809	4.360	111	9.64	245	3.69	1.67
PAC-14x2.5x200	14.000	356	2.50	64	200	3.6	1904	863	4.482	114	9.518	242	3.90	1.77
PAC-14x2.5x225	14.000	356	2.50	64	225	4.0	2054	932	4.871	124	9.129	232	4.48	2.03
PAC-14x2.5x250	14.000	356	2.50	64	250	4.5	2288	1037	4.849	123	9.151	232	4.58	2.07
PAC-14x2.5x275	14.000	356	2.50	64	275	4.9	2513	1140	4.862	123	9.138	232	4.71	2.13
PAC-14x2.5x300	14.000	356	2.50	64	300	5.4	2597	1178	5.345	136	8.655	220	5.45	2.47
PAC-14x2.5x325	14.000	356	2.50	64	325	5.8	2794	1267	5.403	137	8.597	218	5.64	2.56
PAC-14x2.5x350	14.000	356	2.50	64	350	6.2	2981	1352	5.482	139	8.518	216	5.86	2.66
PAC-14x2.5x375	14.000	356	2.50	64	375	6.7	3158	1432	5.578	142	8.422	214	6.11	2.77
PAC-14x2.5x400	14.000	356	2.50	64	400	7.1	3324	1507	5.690	145	8.31	211	6.38	2.89
PAC-14x2.5x425	14.000	356	2.50	64	425	7.6	3478	1577	5.816	148	8.184	208	6.67	3.02
PAC-14x2.5x450	14.000	356	2.50	64	450	8.0	3620	1642	5.955	151	8.045	204	6.98	3.17
PAC-14x2.5x475	14.000	356	2.50	64	475	8.5	3750	1701	6.105	155	7.895	201	7.32	3.32

## 2.50 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)

### 14" TALL (Cont'd.)

PAC-14x2.5x500	14.000	356	2.50	64	500	8.9	3867	1753	6.267	159	7.733	196	7.68	3.48
PAC-14x2.5x525	14.000	356	2.50	64	525	9.4	4206	1907	5.989	152	8.011	203	7.33	3.33
PAC-14x2.5x550	14.000	356	2.50	64	550	9.8	4059	1841	6.620	168	7.38	187	8.46	3.84
PAC-14x2.5x575	14.000	356	2.50	64	575	10.3	4133	1874	6.812	173	7.188	183	8.89	4.03
PAC-14x2.5x600	14.000	356	2.50	64	600	10.7	4472	2028	6.546	166	7.454	189	8.54	3.87
PAC-14x2.5x625	14.000	356	2.50	64	625	11.2	4532	2055	6.749	171	7.251	184	8.99	4.08
PAC-14x2.5x650	14.000	356	2.50	64	650	11.6	4870	2209	6.507	165	7.493	190	8.66	3.93
PAC-14x2.5x675	14.000	356	2.50	64	675	12.1	4914	2228	6.720	171	7.28	185	9.13	4.14
PAC-14x2.5x700	14.000	356	2.50	64	700	12.5	4941	2241	6.941	176	7.059	179	9.62	4.36
PAC-14x2.5x750	14.000	356	2.50	64	750	13.4	4946	2243	7.406	188	6.594	167	10.67	4.84
PAC-14x2.5x800	14.000	356	2.50	64	800	14.3	5622	2550	6.972	177	7.028	179	10.04	4.55
PAC-14x2.5x900	14.000	356	2.50	64	900	16.1	5831	2644	7.521	191	6.479	165	11.46	5.19
PAC-14x2.5x1000	14.000	356	2.50	64	1000	17.9	5862	2658	8.138	207	5.862	149	13.08	5.93

### 16" TALL

PAC-16x2.5x85	16.000	406	2.50	64	85	2.7	1012	729	4.099	134	11.901	272	2.80	2.04
PAC-16x2.5x100	16.000	406	2.50	64	100	1.8	1098	522	5.017	114	10.983	293	3.79	1.48
PAC-16x2.5x150	16.000	406	2.50	64	150	2.7	1607	729	5.287	134	10.713	272	4.49	2.04
PAC-16x2.5x200	16.000	406	2.50	64	200	3.6	2114	959	5.431	138	10.569	268	5.00	2.27
PAC-16x2.5x250	16.000	406	2.50	64	250	4.5	2550	1156	5.802	147	10.198	259	5.78	2.62
PAC-16x2.5x300	16.000	406	2.50	64	300	5.4	2902	1316	6.326	161	9.674	246	6.78	3.07
PAC-16x2.5x350	16.000	406	2.50	64	350	6.2	3345	1517	6.443	164	9.557	243	7.23	3.28
PAC-16x2.5x400	16.000	406	2.50	64	400	7.1	3742	1697	6.646	169	9.354	238	7.80	3.54
PAC-16x2.5x450	16.000	406	2.50	64	450	8.0	4088	1854	6.915	176	9.085	231	8.48	3.84
PAC-16x2.5x500	16.000	406	2.50	64	500	8.9	4117	1867	7.767	197	8.233	209	10.14	4.60
PAC-16x2.5x550	16.000	406	2.50	64	550	9.8	4615	2093	7.609	193	8.391	213	10.14	4.60
PAC-16x2.5x600	16.000	406	2.50	64	600	10.7	4787	2171	8.022	204	7.978	203	11.12	5.04

### 18" TALL

PAC-18x2.5x100	18.000	457	2.50	64	100	1.8	1239	562	5.610	142	12.39	315	4.38	1.98
PAC-18x2.5x150	18.000	457	2.50	64	150	2.7	1732	785	6.454	164	11.546	293	5.81	2.63
PAC-18x2.5x200	18.000	457	2.50	64	200	3.6	2170	984	7.152	182	10.848	276	7.14	3.24
PAC-18x2.5x250	18.000	457	2.50	64	250	4.5	2623	1189	7.509	191	10.491	266	8.06	3.66
PAC-18x2.5x300	18.000	457	2.50	64	300	5.4	2981	1352	8.064	205	9.936	252	9.27	4.21
PAC-18x2.5x350	18.000	457	2.50	64	350	6.2	3453	1566	8.133	207	9.867	251	9.77	4.43
PAC-18x2.5x400	18.000	457	2.50	64	400	7.1	3874	1757	8.315	211	9.685	246	10.42	4.73
PAC-18x2.5x450	18.000	457	2.50	64	450	8.0	4239	1922	8.581	218	9.419	239	11.21	5.08
PAC-18x2.5x500	18.000	457	2.50	64	500	8.9	4543	2060	8.915	226	9.085	231	12.13	5.50

## TITANIUM SUSPENSION SPRING LISTINGS

Through extensive development PAC Racing Springs developed and manufactured Titanium Suspension Springs. We use the absolute best quality, Aerospace approved titanium to develop these light weight springs. Typical designs offer an average a 1-2 lbs. savings over traditional steel suspension springs. Weight is a mission critical factor for aerospace and racing, choose these springs to help meet your demands.

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil BindTravel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
PAC-Ti-8x2.5x200	8.000	203	2.50	64	200	3.6							0.95	0.43
PAC-Ti-10x2.5x100	10.000	254	2.50	64	100	1.8	<b>Call for more Info</b>						1.18	0.54
PAC-Ti-10x2.5x90	10.000	254	2.50	64	90	1.6	<b>(866) 799-9417</b>						1.29	0.59
PAC-Ti-12x2.5x100	12.000	305	2.50	64	100	1.8							1.45	0.66

## 3.00 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil BindTravel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
<b>8" TALL</b>														
PAC-8x3x100	8.000	203	3.00	76	100	1.8	654	297	1.458	37	6.542	166	0.95	0.43
PAC-8x3x150	8.000	203	3.00	76	150	2.7	949	431	1.671	42	6.329	161	1.27	0.58
<b>10" TALL</b>														
PAC-10x3x100	10.000	254	3.00	76	100	1.8	816	370	1.845	47	8.155	207	1.32	0.60
PAC-10x3x150	10.000	254	3.00	76	150	2.7	1118	507	2.545	65	7.455	189	2.27	1.03
PAC-10x3x200	10.000	254	3.00	76	200	3.6	1464	664	2.681	68	7.319	186	2.61	1.18
PAC-10x3x250	10.000	254	3.00	76	250	4.5	1770	802	2.922	74	7.078	180	3.10	1.40
<b>12" TALL</b>														
PAC-12x3x100	12.000	305	3.00	76	100	1.8	939	426	2.606	66	9.394	239	2.12	0.96
PAC-12x3x150	12.000	305	3.00	76	150	2.7	1332	604	3.120	79	8.88	226	2.97	1.35
PAC-12x3x175	12.000	305	3.00	76	175	3.1	1520	689	3.315	84	8.685	221	3.34	1.52
PAC-12x3x200	12.000	305	3.00	76	200	3.6	1752	795	3.240	82	8.76	223	3.35	1.52
PAC-12x3x225	12.000	305	3.00	76	225	4.0	1979	898	3.203	81	8.797	223	3.40	1.54
PAC-12x3x250	12.000	305	3.00	76	250	4.5	2128	965	3.489	89	8.511	216	3.91	1.77
PAC-12x3x275	12.000	305	3.00	76	275	4.9	2339	1061	3.496	89	8.504	216	4.02	1.82
PAC-12x3x300	12.000	305	3.00	76	300	5.4	2354	1067	4.155	106	7.845	199	5.15	2.34
PAC-12x3x350	12.000	305	3.00	76	350	6.2	2715	1231	4.242	108	7.758	197	5.51	2.50
PAC-12x3x400	12.000	305	3.00	76	400	7.1	3046	1382	4.384	111	7.616	193	5.95	2.70
PAC-12x3x450	12.000	305	3.00	76	450	8.0	3344	1516	4.569	116	7.431	189	6.48	2.94
PAC-12x3x500	12.000	305	3.00	76	500	8.9	3606	1635	4.789	122	7.211	183	7.08	3.21
<b>14" TALL</b>														
PAC-14x3x75	14.000	356	3.00	76	75	1.3	852	386	2.644	67	11.356	288	2.01	0.91
PAC-14x3x100	14.000	356	3.00	76	100	1.8	1074	487	3.256	83	10.744	273	2.84	1.29
PAC-14x3x125	14.000	356	3.00	76	125	2.2	1336	606	3.309	84	10.691	272	3.07	1.39
PAC-14x3x150	14.000	356	3.00	76	150	2.7	1472	667	4.189	106	9.811	249	4.37	1.98
PAC-14x3x175	14.000	356	3.00	76	175	3.1	1749	793	4.006	102	9.994	254	4.28	1.94
PAC-14x3x200	14.000	356	3.00	76	200	3.6	1932	876	4.338	110	9.662	245	4.91	2.23
PAC-14x3x225	14.000	356	3.00	76	225	4.0	2124	963	4.562	116	9.438	240	5.40	2.45
PAC-14x3x250	14.000	356	3.00	76	250	4.5	2372	1076	4.512	115	9.488	241	5.47	2.48
PAC-14x3x275	14.000	356	3.00	76	275	4.9	2509	1138	4.877	124	9.123	232	6.20	2.81
PAC-14x3x300	14.000	356	3.00	76	300	5.4	2736	1241	4.879	124	9.121	232	6.35	2.88
PAC-14x3x350	14.000	356	3.00	76	350	6.2	3168	1436	4.950	126	9.05	230	6.73	3.05
PAC-14x3x400	14.000	356	3.00	76	400	7.1	3412	1547	5.470	139	8.53	217	7.94	3.60
PAC-14x3x450	14.000	356	3.00	76	450	8.0	3755	1703	5.656	144	8.344	212	8.55	3.88
PAC-14x3x500	14.000	356	3.00	76	500	8.9	4057	1840	5.887	150	8.113	206	9.26	4.20
PAC-14x3x550	14.000	356	3.00	76	550	9.8	4530	2055	5.763	146	8.237	209	9.24	4.19

## 3.00 ID COIL OVER SUSPENSION SPRING LISTINGS

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
<b>16" TALL</b>														
PAC-16x3x75	16.000	406	3.00	76	75	1.3	949	430	3.353	85	12.647	321	2.75	1.25
PAC-16x3x100	16.000	406	3.00	76	100	1.8	1237	561	3.631	92	12.369	314	3.28	1.49
PAC-16x3x125	16.000	406	3.00	76	125	2.2	1493	677	4.060	103	11.94	303	4.01	1.82
PAC-16x3x150	16.000	406	3.00	76	150	2.7	1772	803	4.189	106	11.811	300	4.37	1.98
PAC-16x3x175	16.000	406	3.00	76	175	3.1	1943	881	4.900	124	11.1	282	5.56	2.52
PAC-16x3x200	16.000	406	3.00	76	200	3.6	2092	949	5.538	141	10.462	266	6.74	3.06
PAC-16x3x250	16.000	406	3.00	76	250	4.5	2669	1211	5.323	135	10.677	271	6.78	3.08
PAC-16x3x400	16.000	406	3.00	76	400	7.1	3877	1758	6.308	160	9.692	246	9.54	4.33
PAC-16x3x450	16.000	406	3.00	76	450	8.0	4279	1941	6.491	165	9.509	242	10.22	4.63
PAC-16x3x500	16.000	406	3.00	76	500	8.9	4638	2103	6.725	171	9.275	236	11.00	4.99
PAC-16x3x600	16.000	406	3.00	76	600	10.7	5474	2483	6.876	175	9.124	232	11.89	5.39
PAC-16x3x650	16.000	406	3.00	76	650	11.6	5709	2589	7.217	183	8.783	223	12.93	5.87
PAC-16x3x700	16.000	406	3.00	76	700	12.5	6194	2809	7.151	182	8.849	225	13.04	5.91
PAC-16x3x800	16.000	406	3.00	76	800	14.3	6785	3077	7.519	191	8.481	215	14.44	6.55

<b>18" TALL</b>														
PAC-18x3x75	18.000	457	3.00	76	75	1.3	1068	484	3.764	96	14.236	362	3.20	1.45
PAC-18x3x100	18.000	457	3.00	76	100	1.8	1351	613	4.490	114	13.51	343	4.32	1.96
PAC-18x3x150	18.000	457	3.00	76	150	2.7	1941	880	5.060	129	12.94	329	5.58	2.53
PAC-18x3x200	18.000	457	3.00	76	200	3.6	2492	1130	5.538	141	12.462	317	6.74	3.06
PAC-18x3x250	18.000	457	3.00	76	250	4.5	2938	1332	6.249	159	11.751	298	8.34	3.78
PAC-18x3x300	18.000	457	3.00	76	300	5.4	3409	1546	6.637	169	11.363	289	9.45	4.29
PAC-18x3x350	18.000	457	3.00	76	350	6.2	3799	1723	7.146	182	10.854	276	10.82	4.91
PAC-18x3x400	18.000	457	3.00	76	400	7.1	4098	1858	7.756	197	10.244	260	12.45	5.65
PAC-18x3x450	18.000	457	3.00	76	450	8.0	4534	2056	7.925	201	10.075	256	13.22	5.99
PAC-18x3x500	18.000	457	3.00	76	500	8.9	4657	2112	8.686	221	9.314	237	15.30	6.94
PAC-18x3x550	18.000	457	3.00	76	550	9.8	4660	2113	9.527	242	8.473	215	17.68	8.02
PAC-18x3x600	18.000	457	3.00	76	600	10.7	5536	2511	8.773	223	9.227	234	16.28	7.38
PAC-18x3x650	18.000	457	3.00	76	650	11.6	5407	2452	9.681	246	8.319	211	18.90	8.57
PAC-18x3x700	18.000	457	3.00	76	700	12.5	6283	2849	9.025	229	8.975	228	17.62	7.99
PAC-18x3x750	18.000	457	3.00	76	750	13.4	6009	2725	9.988	254	8.012	204	20.47	9.28
PAC-18x3x800	18.000	457	3.00	76	800	14.3	6884	3122	9.395	239	8.605	219	19.26	8.73

## CONVENTIONAL CIRCLE TRACK SUSPENSION SPRING LISTINGS

PAC Racing Springs pioneered high travel suspension springs when post race tech began disqualifying winning cars from too low of ride height, a result from spring sag and poor designs. We answered the demand using cutting edge materials and processing, thus reducing cost over expensive and ineffective aerospace alloys typically used. This innovative method provides superior spring construction and performance reducing cost drastically over competition. PAC Racing is capable of using our in house Servo Hydraulic single post MTS to duplicate the rigors of racing, every bump, every turn, which allows improvement to the design continuously.

Part Number	Nominal Free Length		Nominal Inside Diameter		Spring Rate		Load @ Coil Bind		Coil Bind Height		Free Length to Coil Bind Travel		Spring Weight	
	(in)	(mm)	(in)	(mm)	(lbs/in)	(kg/mm)	(lbs)	(kg)	(in)	(mm)	(in)	(mm)	(lbs)	(kg)
PAC-8.75-5.50-350	8.75	222	5.50	140	350	6.2								
PAC-8.75-5.50-375	8.75	222	5.5	140	375	6.7								
PAC-8.75-5.50-400	8.75	222	5.5	140	400	7.1								
PAC-8.75-5.50-425	8.75	222	5.5	140	425	7.6								
PAC-8.75-5.50-450	8.75	222	5.5	140	450	8.0								
PAC-8.75-5.50-475	8.75	222	5.5	140	475	8.5								
PAC-8.75-5.50-500	8.75	222	5.5	140	500	8.9								

PAC-9.50-5.50-200	9.5	241	5.5	140	200	3.6								
PAC-9.50-5.50-250	9.5	241	5.5	140	250	4.5								
PAC-9.50-5.50-300	9.5	241	5.5	140	300	5.4								
PAC-9.50-5.50-350	9.5	241	5.5	140	350	6.2								
PAC-9.50-5.50-400	9.5	241	5.5	140	400	7.1								
PAC-9.50-5.50-450	9.5	241	5.5	140	450	8.0								
PAC-9.50-5.50-500	9.5	241	5.5	140	500	8.9								
PAC-9.50-5.50-550	9.5	241	5.5	140	550	9.8								
PAC-9.50-5.50-600	9.5	241	5.5	140	600	10.7								

Call for more Info  
(866) 799-9417

PAC-10.50-5.50-200	10.5	267	5.5	140	200	3.6								
PAC-10.50-5.50-250	10.5	267	5.5	140	250	4.5								
PAC-10.50-5.50-300	10.5	267	5.5	140	300	5.4								
PAC-10.50-5.50-350	10.5	267	5.5	140	350	6.2								
PAC-10.50-5.50-400	10.5	267	5.5	140	400	7.1								
PAC-10.50-5.50-450	10.5	267	5.5	140	450	8.0								
PAC-10.50-5.50-500	10.5	267	5.5	140	500	8.9								
PAC-10.50-5.50-550	10.5	267	5.5	140	550	9.8								
PAC-10.50-5.50-600	10.5	267	5.5	140	600	10.7								



## PAC RACING LOWERING AND TOURING CAR SUSPENSION SPRINGS

Every design of PAC Racing Lowering and Handling springs offered has gone through vigorous testing and design to achieve the best possible ride quality and handling while lowering the vehicle height as much as possible without compromising safety or ride quality. The tight manufacturing tolerances allow for the vehicle to sit level, feel balanced, and handle better than any stock suspension system.

Through many years of development and reverse engineering, PAC Racing Springs has been able to perfect the street ride characteristics while maintaining a sleek lowered look. We have applied coiling technology that allows for a reduced stress and performance feel to the suspension. Using a high tensile material allows for the reduction of spring sag over time and for continued abuse corner after corner.

**We are adding new applications daily, if you have a need for your vehicle please let us know and we'll consider developing it.**

### *Domestic*

PAC Part Number	Make	Model	Year	Drop	Rate Front Springs	Rate Rear Springs	Notes
<b>CADILLAC</b>							
PAC-RM9010	CADILLAC	CTS	03 - 07	1.4 / 1.4	375	400	NEW
<b>CHEVROLET</b>							
PAC-RM9014	CHEVY	CAVALIER	95 - 05	2	250	320	
PAC-RM9015	CHEVY	COBALT	ALL	1.4 / 1.6	310	260	
PAC-RM9016	CHEVY	CAMARO SS	2010	1.1 / 1.2	300	470	
PAC-RM9018	CHEVY	GEO PRISM	93 - 97	1.5	325	275	
PAC-RM9019	CHEVY	HHR	06 - 11	1.75 / 2.5	310	260	
<b>CHRYSLER</b>							
PAC-RM9031	CHRYSLER	PT CRUISER	2002	2.3 / 2.25	235	205	
PAC-RM9032							
<b>DODGE</b>							
PAC-RM9035	DODGE	NEON	95 - 99	1.75	190	200	
PAC-RM9036	DODGE	NEON	00 - 05	1.75	170	270	
PAC-RM9037	DODGE	NEON SRT4	03 - 05	1.75	170	270	
PAC-RM9038	DODGE	CALIBER SRT4	08 +	1.1 / 1.0	350	450	
PAC-RM9039	DODGE	CALIBER SRT4	Drag	1.6 / 1.4	300	580	
PAC-RM9040	DODGE	CHALLENGER	09	1.8 / 1.8	260	500	
PAC-RM9041	DODGE	MAGNUM	07 +	1.8 / 1.8	260	500	
PAC-RM9042	DODGE	STRATUS	01 - 05	1.1 / 1.4	340	210	

# ROAD MAGNET SERIES

## *Domestic (cont'd.)*

PAC Part Number	Make	Model	Year	Drop	Rate Front Springs	Rate Rear Springs	Notes
<b>FORD</b>							
PAC-RM9050	FORD	FOCUS	00 - 05	1.75	192	179	
PAC-RM9051	FORD	FOCUS	08	1.0 / 2.0	215	185	
PAC-RM9052	FORD	MUSTANG 5.0	79 - 04	2/1.8	750	250	
PAC-RM9053	FORD	MUSTANG V6	94 - 04	2	550	400	
PAC-RM9054	FORD	MUSTANG 4.0	05 - 08	1	280	460	
<b>JEEP</b>							
PAC-RM9090	JEEP	SRT8	ALL	1.0 / 1.7	760	300	
<b>PONTIAC</b>							
PAC-RM9133	PONTIAC	SUNFIRE	95 - 05	2	250	320	
PAC-RM9134	PONTIAC	G8	08 - 09	1.0 / 1.125	345	460	
PAC-RM9135	PONTIAC	G5	07 - 09	1.4 / 1.6	310	260	
<b>SATURN</b>							
PAC-RM9138	SATURN	ION	03 - 07	2.0 / 1.70	250	280	
PAC-RM9139							

## *Non-Domestic*

<b>ACURA</b>							
PAC-RM9001	ACURA	INTEGRA	94 - 01	2	375	210	
<b>AUDI</b>							
PAC-RM9002	AUDI	TT	2007	1 / 1.1	295	480	
<b>BMW</b>							
PAC-RM9003	BMW	325/328i			215	450	
PAC-RM9004	BMW	E46M3	01 - 06	.5 / .8	215	450	
PAC-RM9005	BMW	E46M3	01 - 06	1 / .9	215	450	
PAC-RM9006	BMW	M5/M6/635	87 - 89	1.7 / 1.3	300	140-260	PROGRESSIVE REARS
<b>HONDA</b>							
PAC-RM9067	HONDA	ACCORD 4cyl	03 - 07	2 / 1.4	600	350	
PAC-RM9068	HONDA	ACCORD 4cyl	90 - 97	1.9/1.5	340	225	
PAC-RM9069	HONDA	CIVIC	92 - 99	1.8	375	210	
PAC-RM9070	HONDA	CIVIC Si	02 - 05	1 / 1.4	320	380	
PAC-RM9071	HONDA	CIVIC	06 +	1.0 / 1.0	320	355	
PAC-RM9072	HONDA	DEL SOL	93 - 97	1.5	375	210	
PAC-RM9073	HONDA	PRELUDE	97 - 02	2 / 2.1	350	210	
PAC-RM9074	HONDA	S2000	00 +	1.2	200	380	
<b>MAZDA</b>							
PAC-RM9107	MAZDA	Protégé Speed	99 - 04	1	215	170	
PAC-RM9108	MAZDA	RX8	ALL	1.75 / 1.1	320	270	
PAC-RM9109	MAZDA	Speed 3	2007	1	365	340	
PAC-RM9110	MAZDA	Speed 3	2010	1.25 / 1.5	365	340	
PAC-RM9111	MAZDA	Speed 6	06 - 07	1.4 / 1.6	350	280	
PAC-RM9112	MAZDA	3s / 3i	04 - 07	1.75	310	360	
PAC-RM9113	MAZDA	3s / 3i	04 - 07	1.25	310	360	
PAC-RM9114	MAZDA	6	03 - 07	1 / 1.1	350-450	280	PROGRESSIVE FRONTS

# ROAD MAGNET SERIES

## *Non-Domestic (cont'd.)*

PAC Part Number	Make	Model	Year	Drop	Rate Front Springs	Rate Rear Springs	Notes
<b>HYUNDAI</b>							
PAC-RM9080	HYUNDAI	ACCENT	99 - 05	1.375 / 1.5	190	245	
PAC-RM9081	HYUNDAI	TUSCANI		1	220	230	

<b>INFINITI</b>							
PAC-RM9084	INFINITI	G35 / G37	03 - 08	1.75	550	540	
PAC-RM9085	INFINITI	G35 / G37	03 - 08	1.25	360	430	

<b>LEXUS</b>							
PAC-RM9099	LEXUS	IS-250	2006	2	625	550	
PAC-RM9100	LEXUS	IS-300	ALL	1.75	500	450	
PAC-RM9101	LEXUS	IS-350	2006	1.5 / 1.25	625	550	
PAC-RM9102	LEXUS	GS-300	06 - 11	1.7 / 1.2	500	450	
PAC-RM9103	LEXUS	GS-350	06 - 11	1.7 / 1.2	675	550	

<b>MITSUBISHI</b>							
PAC-RM9117	MITSUBISHI	EVOLUTION	02-07	1.5	230	360	
PAC-RM9118	MITSUBISHI	EVOLUTION X	02-08	1.4 / 0.9	350	330	
PAC-RM9119	MITSUBISHI	LANCER	02-09	1.5	180	280	
PAC-RM9120	MITSUBISHI	LANCER	02-10	1.25 / 1.125	230	195	
PAC-RM9121	MITSUBISHI	OUTLANDER	07+	1.8 / 2.0	235	420	

<b>NISSAN</b>							
PAC-RM9124	NISSAN	240 SX	89 - 94	1.8	200	255	
PAC-RM9125	NISSAN	350Z	03 +	1.1	550	540	
PAC-RM9126	NISSAN	SENTRA (B13)	87 - 94	1.25 / 1.0	325	250	
PAC-RM9127	NISSAN	SENTRA (B14)	95 - 99	1.3 / 1.1	315	175	
PAC-RM9128	NISSAN	SER SPEC V	00-05	1.5	360	355	
PAC-RM9129	NISSAN	SER SPEC V	07 - 08	1.25 / 1.0	310	290	

<b>SCION</b>							
PAC-RM9140	SCION	TC	ALL	1.5	200	400	
PAC-RM9141	SCION	Xa & Xb	Upto 2007	1.5	175	220	
PAC-RM9142	SCION	xB	2008	1.25/1.75	260	300	



<b>SUBARU</b>							
PAC-RM9145	SUBARU	IMPREZA	04 - 07	1.5	270	280	
PAC-RM9146	SUBARU	WRX	02 - 03	1.5/1.5	270	185	
PAC-RM9147	SUBARU	WRX	04 - 05	1.5	270	280	
PAC-RM9148	SUBARU	WRX / STI	04 - 05	1	470	250	

<b>TOYOTA</b>							
PAC-RM9151	TOYOTA	COROLLA	92 - 97	1.5	325	275	
PAC-RM9152	TOYOTA	CELICA	00 - 06	1.6 / 1.8	180	250	

<b>VW</b>							
PAC-RM9156	VW	JETTA & GOLF	99 - 05	1.5	230	195	
PAC-RM9157	VW	R32	04	1 / 1.25	230	480	
PAC-RM9158	VW	Rabbit	07 +	1.9 / 2.3	260	240	

# CUSTOM SPRING DESIGN REQUEST FORM

**FAX TO:  
(248) 350-3206**



<b>1</b>	<b>Inside Diameter</b>	
<b>2</b>	<b>Number of Coils</b>	
<b>3</b>	<b>Pitch Spacing</b> (Circle Applicable)	
	1. Progressive	
	2. Multiple Rate	
	3. Specified Rate	
<b>4</b>	<b>Wire Size</b>	
<b>5</b>	<b>Free Length</b>	
<b>6</b>	<b>Spring Ends</b> (Circle Applicable)	
	1. Closed and Ground	
	2. Open and Ground	
	3. Open and Un-Ground	
<b>7</b>	<b>Spring Type</b> (Circle Applicable)	
	1. Straight Cylindrical	
	2. Single End Reduced Dia.	
	3. Double End Reduced Dia.	
<b>8</b>	<b>Material Type</b> (Circle Applicable)	
	1. Standard Spring Steel	
	2. Super High Tensile Alloy	
	3. High Temperature	
	4. Titanium	
	5. Shaped Wire	
<b>9</b>	Bind Height	
<b>10</b>	Application	
<b>11</b>	Spring Rate	
<b>12</b>	Target Pricing	

CONTACT NAME \_\_\_\_\_

COMPANY NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

ZIP CODE \_\_\_\_\_ COUNTRY \_\_\_\_\_

PHONE NUMBER \_\_\_\_\_

FAX NUMBER \_\_\_\_\_

EMAIL ADDRESS \_\_\_\_\_

WEBSITE \_\_\_\_\_

**Additional Notes or Comments:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

# Manufacturers of:

## VALVE TRAIN COMPONENTS

- ▶ Titanium Retainers
- ▶ Pacaloy® Steel Retainers
- ▶ Titanium & Steel Locks
- ▶ Spring Cups & Locators
- ▶ Custom Applications



## VALVE SPRINGS

- ▶ Drag Race
- ▶ Circle Track
- ▶ Marine
- ▶ Endurance
- ▶ Street & Strip
- ▶ RPM Beehives
- ▶ Custom Applications & Vintage



## TOOLS & ENGINEERING

- ▶ Assembly Tools
- ▶ Fully Accredited Metallurgic Lab
- ▶ SpinTron® Engine Testing
- ▶ Rapid Prototype Capability
- ▶ Retail Kits & Specialized Packaging



## SUSPENSION SPRINGS

- ▶ Off-Road
- ▶ Drag Race
- ▶ Circle Track
- ▶ Coil Over Shock Springs
- ▶ Road Magnet Series - Lowering
- ▶ Sway Bars & Accessories



## Online Store

Visit us online to browse our wide selection, check part availability and to view our current prices.

Please view all of PAC racing components for all of your high performance needs from suspension springs to valve springs and more.



PAC Racing Springs proudly made in the U.S.A.

## PAC Racing Springs

21200 Telegraph Road  
Southfield, MI 48033

Toll Free: 866-799-9417

Email: [racingssprings@pspring.com](mailto:racingssprings@pspring.com)

Fax: 248-350-3206

[www.RacingSprings.com](http://www.RacingSprings.com)

## SWAY BARS

- ▶ Steel
- ▶ Titanium
- ▶ Link Arms
  - Aluminum
  - Steel
  - Fabricated
- ▶ Custom Designs



*Full Catalog Available Spring 2012*

